

MOUNT BLOCKS & UTILITY VENTS
KAYCAN

Mount Blocks & Utility Vents

SKU: 1128



PROFILES

Mount Block / Recessed Mount / Meter Block / Hooded Vent / Exhaust Vent / Foundation Master

Kaycan Mount Blocks & Utility Vents — the industry standard for mounting exterior fixtures on any siding surface. 15 standard mount block models including Original Mount Master, Jumbo Mount, Recessed Jumbo, Meter Block, and more. Specialty electrical blocks and blocks for composite and insulated siding. Utility vents including 4", 6", and 8" Hooded Vents, Master Exhaust Vent, Master Intake/Exhaust Vent, and Foundation Master vents. Available in all Kaycan siding colours. Request a quote for special orders.

Key Features

- {"Industry standard for mounting all exterior fixtures on any siding surface", "Conceals cut siding edges for a finished, professional look", "Eliminates moisture and air infiltration", "Available in all Kaycan siding colours — seamless matching", "15 standard mount block models: Original Mount Master, Jumbo, Slim Line, Recessed, Meter Block, and more", "Specialty electrical blocks for standard and insulated siding (#5626, #5624, #5622, #5630)", "Specialty blocks for composite siding and water management (#5682, #5686)", "Specialty blocks and vents for insulated siding (#5681, #5684, #5687, #5688, #5689)", "Hooded vents: 4\" (#1150), 6\" (#1141), 8\" (#1136) — including high efficiency HVAC-rated 8\" vent", "Foundation Master vents for new construction, remodeling, and fixed louver applications"}

Profiles & Specifications

original-mount-master

Original Mount Master

Scalloped: #1128 · Square: #1118. 10 pcs/box.




Item #	#1128 (Scalloped) · #1118 (Square)
pcs/Box	10
Locking Positions	0.75" · 1.00" · 1.25"

surface-block-dutch-lap

Surface Block – Dutch Lap

#1122. 10 pcs/box. Special Order.



Item #	#1122
pcs/Box	10
Notes	Special Order

jumbo-mount

Jumbo Mount

#1125. 10 pcs/box.




Item #	#1125
pcs/Box	10
Locking Positions	0.75" · 1.00" · 1.25"

slim-line-mount

Slim Line Mount

#1127. 10 pcs/box.




Item #	#1127
pcs/Box	10
Locking Positions	0.50" · 0.75"

surface-block-triple-3

Surface Block – Triple 3"

#1123. 10 pcs/box. Special Order.




Item #	#1123
pcs/Box	10
Notes	Special Order

super-jumbo-mount

Super Jumbo Mount

#1134. 1 pc/box.




Item #	#1134
pcs/Box	1
Locking Positions	0.75" · 1.00" · 1.25"

large-recessed-mount

Large Recessed Mount

#1143. 5 pcs/box.




Item #	#1143
pcs/Box	5
Locking Positions	0.625" · 0.875"

surface-master-octagon

Surface Master – Octagon 4"-10"

#1121. 10 pcs/box. Special Order.




Item #	#1121
pcs/Box	10
Notes	Special Order

recessed-jumbo-mount

Recessed Jumbo Mount

#1142. 10 pcs/box.




Item #	#1142
pcs/Box	10
Locking Positions	0.625" · 0.875"

recessed-square-mount

Recessed Square Mount

#1147. 10 pcs/box.




Item #	#1147
pcs/Box	10
Locking Positions	0.625" · 0.875"

recessed-mini-mount

Recessed Mini Mount

#1126. 10 pcs/box.




Item #	#1126
pcs/Box	10
Locking Positions	0.75" · 1.00" · 1.25"

meter-block

Meter Block

#5625. 1 pc/box.




Item #	#5625
pcs/Box	1

jumbo-meter-block

Jumbo Meter Block

#5623. 1 pc/box.




Item #	#5623
pcs/Box	1

mini-mount

Mini Mount

#1116. 1 pc/box.




Item #	#1116
pcs/Box	1
Locking Positions	0.50" · 0.85"

split-block-mini-mount

Split Block Mini-Mount

#1148. 10 pcs/box.



Item #	#1148
pcs/Box	10
Locking Positions	0.75" · 1.00" · 1.25"

electrical-block

Electrical Block

#5626. 2 pcs/box. Special Order.




Item #	#5626
pcs/Box	2
Locking Positions	0.875" · 1.125" · 1.375" · 1.625"
Notes	Special Order

jumbo-electrical-block

Jumbo Electrical Block – ed*

#5624. 2 pcs/box. Special Order.




Item #	#5624
pcs/Box	2
Locking Positions	0.875" · 1.125" · 1.375" · 1.625"
Notes	Special Order

jumbo-electrical-block-offset

Jumbo Electrical Block – Offset

#5622. 10 pcs/box. Special Order.



Item #	#5622
pcs/Box	10
Locking Positions	0.875" · 1.125" · 1.375" · 1.625"
Notes	Special Order

super-jumbo-electrical-block

Super Jumbo Electrical Block

#5630. 2 pcs/box. Special Order.




Item #	#5630
pcs/Box	2
Locking Positions	7/8" · 1-1/8" · 1-3/8" · 1-5/8"
Notes	Special Order

jumbo-composite-siding

Jumbo for Water Management and Composite Siding

#5686. 10 pcs/box. Special Order.




Locking Positions
7/16, 11/16, 15/16

Item #	#5686
pcs/Box	10
Locking Positions	7/16" · 11/16" · 15/16"
Notes	Special Order

split-block-composite-siding

Split Block for Water Management and Composite Siding

#5682. 10 pcs/box. Special Order.




Item #	#5682
pcs/Box	10
Locking Positions	7/16" · 11/16" · 15/16"
Notes	Special Order

vent-4in-hooded-composite

4" Hooded Vent for Water Management and Composite Siding

#5683. 1 pc/box. Special Order.




Item #	#5683
pcs/Box	1
Locking Positions	7/16" · 11/16" · 15/16"
Notes	Special Order

vent-4in-hooded-insulated

4" Hooded Vent – For Insulated Siding

Concealed exhaust flap. Includes 8" long aluminum tube (4" diam.). 12 sq.ft. net free area. #5684. 1 pc/box. Special Order.




Item #	#5684
pcs/Box	1
Locking Positions	0.75" · 1.00" · 1.25"
Net Free Area	12 sq.ft.
Notes	Special Order · Concealed exhaust flap · Incl. 8" long aluminum tube (4" diam.)

vent-master-exhaust-insulated

Master Exhaust Vent – For Insulated Siding

Patented exhaust flaps stay closed when not in use. Includes 8" long aluminum tube (4" diam.). 12 sq.ft. net free area. #5687. 1 pc/box. Special Order.




Item #	#5687
pcs/Box	1
Locking Positions	7/8" · 1-1/8" · 1-3/8" · 1-5/8"
Net Free Area	12 sq.ft.
Notes	Special Order · Patented exhaust flaps stay closed when not in use · Incl. 8" long aluminum tube (4" diam.)

vent-split-block-insulated

Split Block for Insulated Siding

#5681. 10 pcs/box. Special Order.




Item #	#5681
pcs/Box	10
Locking Positions	3/4" · 1" · 1-1/4" · 1-5/8"
Notes	Special Order

vent-original-mount-master-insulated

Original Mount Master For Insulated Siding

Scalloped. #5688. 10 pcs/box. Special Order.




Item #	#5688 (Scalloped)
pcs/Box	10
Locking Positions	7/8" · 1-1/8" · 1-3/8" · 1-5/8"
Notes	Special Order

vent-jumbo-mount-insulated

Jumbo Mount – For Insulated Siding

#5689. 10 pcs/box. Special Order.




Item #	#5689
pcs/Box	10
Locking Positions	7/8" · 1-1/8" · 1-3/8" · 1-5/8"
Notes	Special Order

vent-4in-hooded

4" Hooded Vent

#1150. 1 pc/box.




Item #	#1150
pcs/Box	1
Locking Positions	0.75" · 1.00" · 1.25"

vent-6in-hooded

6" Hooded Vent

Concealed exhaust flap. Includes 8" long aluminum tube. 25 sq.ft. net free area. #1141. 1 pc/box.




Item #	#1141
pcs/Box	1
Locking Positions	0.75" · 1.00" · 1.25"
Net Free Area	25 sq.ft.
Notes	Concealed exhaust flap · Incl. 8" long aluminum tube

vent-8in-hooded

8" Hooded Vent

Meets the increased air flow requirements of newer high efficiency HVAC systems. Can be installed with an 8" or 7" diameter tube (not included). Adapter for 7" diameter tube is included. Concealed exhaust flap. 48 sq.ft. net free area. #1136. 1 pc/box. Special Order.



Item #	#1136
pcs/Box	1
Locking Positions	0.50" · 0.75"
Net Free Area	48 sq.ft.
Notes	Special Order · Meets increased air flow requirements for high efficiency HVAC · 8" or 7" diam. tube (not incl.) · Adapter for 7" diam. tube included · Concealed exhaust flap

vent-small-animal-guard-4in

Small Animal Guard for 4" Hooded Vent

#1139. 1 pc/box.




Item #	#1139
pcs/Box	1

vent-master-exhaust

Master Exhaust Vent

Scalloped: #1124 · Square: #1119. 4 pcs/box.




Item #	#1124 (Scalloped) · #1119 (Square)
pcs/Box	4
Locking Positions	0.75" · 1.00" · 1.25"

vent-small-animal-guard-master

Small Animal Guard for Master Exhaust Vent

Use in place of the trim ring. Order in addition to the Master Exhaust Vent. #1138. 1 pc/box. Special Order.




Item #	#1138
pcs/Box	1
Notes	Special Order · Use in place of trim ring · Order in addition to Master Exhaust Vent

vent-master-intake-exhaust

Master Intake / Exhaust Vent

Full fiberglass screening. Not for use as a dryer or furnace vent. Snap-in Modular Vent Tube adjusts from 1-1/2" to 8" and comes with 4"-3" reducer. 12 sq.ft. net free area. #1149. 1 pc/box.




Item #	#1149
pcs/Box	1
Locking Positions	0.625" · 1.00" · 1.25"
Net Free Area	12 sq.ft.
Notes	Full fiberglass screening · Not for dryer/furnace vent · Vent tube adjusts 1-1/2"-8", incl. 4"-3" reducer

vent-foundation-master-new-construction

Foundation Master – New Construction

Patented flange inserts into block. Molded-in screen for insect protection. 50 sq.ft. net free area. #5188. 10 pcs/box. Special Order.




Item #	#5188
pcs/Box	10
Net Free Area	50 sq.ft.
Notes	Special Order · Patented flange inserts into block · Molded-in screen for insect protection

vent-foundation-master-trim-ring

Foundation Master – Lock-On Trim Ring

For remodeling. Molded-in screen for insect protection. 50 sq.ft. net free area. #5088. 1 pc/box.




Item #	#5088
pcs/Box	1
Locking Positions	0.75" · 1.00" · 1.25"
Net Free Area	50 sq.ft.
Notes	For remodeling · Molded-in screen for insect protection

vent-foundation-master-fixed-louver

Foundation Master – Fixed Louver

Molded-in screen for insect protection. 50 sq.ft. net free area. #5189. 10 pcs/box. Special Order.



Item #	#5189
pcs/Box	10
Net Free Area	50 sq.ft.
Notes	Special Order · Molded-in screen for insect protection

Installation Guide

- 1 Conceal the cut edges of siding for a finished, professional look while eliminating moisture and air infiltration.
- 2 Available in all Kaycan siding colours — distinctive style and matching colours for a seamless look.
- 3 Special Order items: contact your local Kaycan distribution centre for availability and lead times.
- 4 Locking positions allow secure attachment at varying siding thicknesses.
- 5 For dryer or furnace venting, use a dedicated hooded vent — the Master Intake/Exhaust Vent (#1149) is not suitable for dryer or furnace vent applications.
- 6 For insulated siding installations, use the dedicated insulated siding series (#5681, #5684, #5687, #5688, #5689).
- 7 For composite siding and water management applications, use the dedicated composite siding series (#5682, #5683, #5686).



KAYCAN

Ready to order?

Submit your spec list and we'll respond with pricing and availability - usually within one business day.

WEB

promaterials.ca

PHONE

(905) 836-7272

EMAIL

info@promaterials.ca

ADDRESS

Unit 5, 1235 Journey's End Cir, Newmarket, ON