

ALPA OUTDOOR PRODUCTS
MITTEN

Alpa Vinyl Fencing

SKU: MITTEN-VINYL-FENCING

WIND

Tested for wind resistance and blowout under uniform loads (Canadian/American labs)

WARRANTY

5-Year Limited Warranty (materials and workmanship, original purchaser only, not

COLOURS

5 available

PROFILES

Cape Cod · Oxford · Carriage · Breton · French Garden · English Garden · Hampton ·

Alpa Vinyl Fencing from Mitten gives Canadian homeowners a durable, low-maintenance fence that never needs painting and will never rot, warp, or grey the way wood does. Manufactured by Alpa Outdoor Products Inc. in Brampton, Ontario, these pre-assembled vinyl fence panels come in 11 profile styles — from the fully private Cape Cod and Carriage to the decorative Estate X and Lattice Wall — in 4' and 6' heights. Available in White, Clay, Cashmere, Tan, and Sandalwood, with matching galvanized-steel-reinforced gates for every collection. Backed by a 5-Year Limited Warranty.

Key Features

- 11 profile styles — 4 full-privacy, 6 semi-privacy, 1 decorative lattice
- Maintenance free — never needs painting, staining, or sealing
- All metal components are galvanized steel
- Two mounting systems: Vinyl U-Mount Bracket (all styles) or Alpa Metal Hanger (full-privacy)
- Tested for wind resistance and blowout in Canadian/American labs
- 5-Year Limited Warranty — original purchaser, non-transferable
- Pre-assembled panels in 4' (48") and 6' (72") heights
- Vinyl made in Canada — Alpa Tech Vinyl, manufactured in Ontario
- Matching gates available for all collections — reinforced with galvanized steel
- 5 colours: White, Clay, Cashmere, Tan, Sandalwood
- Can be used as privacy screen on decks — not suitable as guardrail
- Made by Alpa Outdoor Products Inc., Brampton, Ontario

Available Colours

VINYL

5 colours



White



Clay



Cashmere



Tan



Sandalwood

Profiles & Specifications

CAPE

Cape Cod

The Cape Cod is a full-privacy vinyl fence that works with any style of garden or home. Its clean, classic boards provide complete privacy with no visible gaps between pickets. Dress it up by adding a matching gate from any of the Alpa collections. Pre-assembled panels available in 4' and 6' heights. Never needs painting or staining.



Privacy Level	Full privacy
Heights	4' (48") and 6' (72") pre-assembled panels
Post Size	4" x 4" vinyl post sleeve, 78" tall
Mounting	Option 1: Vinyl U-Mount Bracket · Option 2: Alpa Metal Hanger & End Strips
Colours	White, Clay, Cashmere, Tan, Sandalwood

OXFORD

Oxford

The Oxford gives your fence a simple, smart look with minimal detail. Full privacy and a classic warm aesthetic make it a versatile choice for residential properties across Canada. Pre-assembled panels available in 4' and 6' heights. Never needs painting or staining.



Privacy Level	Full privacy
Heights	4' (48") and 6' (72") pre-assembled panels
Post Size	4" x 4" vinyl post sleeve, 78" tall
Mounting	Option 1: Vinyl U-Mount Bracket · Option 2: Alpa Metal Hanger & End Strips
Colours	White, Clay, Cashmere, Tan, Sandalwood

CARRIAGE

Carriage

Reminiscent of traditional wood fences, the Carriage style is a great choice for neighbours sharing cost and enjoying low maintenance. Full privacy with a warm, familiar profile. Pre-assembled panels in 4' and 6' heights. Never needs painting or staining.



Privacy Level	Full privacy
Heights	4' (48") and 6' (72") pre-assembled panels
Post Size	4" x 4" vinyl post sleeve, 78" tall
Mounting	Option 1: Vinyl U-Mount Bracket · Option 2: Alpa Metal Hanger & End Strips
Colours	White, Clay, Cashmere, Tan, Sandalwood

BRETON

Breton

An ultra-modern, sophisticated look trending in shabby-chic design. The Breton is great for balcony terraces, around an enclosed private hot tub, or around your entire yard. Full privacy with a contemporary profile. Pre-assembled panels available in 4' and 6' heights.



Privacy Level	Full privacy
Heights	4' (48") and 6' (72") pre-assembled panels
Post Size	4" x 4" vinyl post sleeve, 78" tall
Mounting	Option 1: Vinyl U-Mount Bracket
Colours	White, Clay, Cashmere, Tan, Sandalwood

FRENCH

French Garden

The French Garden offers a choice of large or small semi-privacy lattice detailing. A time and money saver — change the lattice colour to create a two-toned colour fence for added visual interest. Pre-assembled panels available in 4' and 6' heights.



Privacy Level	Semi-privacy
Heights	4' (48") and 6' (72") pre-assembled panels
Lattice	Large or small semi-privacy lattice; two-toned colour option
Post Size	4" x 4" vinyl post sleeve, 78" tall
Mounting	Option 1: Vinyl U-Mount Bracket
Colours	White, Clay, Cashmere, Tan, Sandalwood

ENGLISH

English Garden

Always clean and crisp looking. Square lattice sets the tone when choosing the English Garden collection. A timeless semi-privacy design suited to traditional and cottage-style homes. Pre-assembled panels in 4' and 6' heights.



Privacy Level	Semi-privacy
Heights	4' (48") and 6' (72") pre-assembled panels
Lattice	Square lattice
Post Size	4" x 4" vinyl post sleeve, 78" tall
Mounting	Option 1: Vinyl U-Mount Bracket
Colours	White, Clay, Cashmere, Tan, Sandalwood

HAMPTON

Hampton

Perfect for a cottage getaway, the Hampton delivers casual elegance with modern sensibility for a clean and airy feel. Semi-privacy design with an open, relaxed aesthetic. Pre-assembled panels in 4' and 6' heights.



Privacy Level	Semi-privacy
Heights	4' (48") and 6' (72") pre-assembled panels
Post Size	4" x 4" vinyl post sleeve, 78" tall
Mounting	Option 1: Vinyl U-Mount Bracket
Colours	White, Clay, Cashmere, Tan, Sandalwood

ESTATE

Estate

Elegant, stylish, and simply stunning. A simple but rich round rosette anchors the X-pattern design, creating an incredible look for upscale residential properties. Semi-privacy with standout curb appeal. Pre-assembled panels in 4' and 6' heights.



Privacy Level	Semi-privacy
Heights	4' (48") and 6' (72") pre-assembled panels
Design Detail	Round rosette + X-pattern
Post Size	4" x 4" vinyl post sleeve, 78" tall
Mounting	Option 1: Vinyl U-Mount Bracket
Colours	White, Clay, Cashmere, Tan, Sandalwood

URBAN

Urban

Modern, young, edgy, and new. Made for a city lifestyle but equally impressive in any yard, deck, or balcony. The Urban brings a contemporary semi-privacy aesthetic to residential and multi-family properties. Pre-assembled panels in 4' and 6' heights.



Privacy Level	Semi-privacy
Heights	4' (48") and 6' (72") pre-assembled panels
Post Size	4" x 4" vinyl post sleeve, 78" tall
Mounting	Option 1: Vinyl U-Mount Bracket
Colours	White, Clay, Cashmere, Tan, Sandalwood

NAUTICAL

Nautical

Different, new, simple, and unlike fences built from wood, the Nautical will work within your budget. A semi-privacy design with a fresh, coastal-inspired look suited to cottages, pools, and contemporary yards. Pre-assembled panels in 4' and 6' heights.



Privacy Level	Semi-privacy
Heights	4' (48") and 6' (72") pre-assembled panels
Post Size	4" x 4" vinyl post sleeve, 78" tall
Mounting	Option 1: Vinyl U-Mount Bracket
Colours	White, Clay, Cashmere, Tan, Sandalwood

LATTICE

Lattice Wall

The Lattice Wall enhances outdoor spaces with detailed rosettes for a one-of-a-kind decorative look. Never requires painting or staining. All panels come pre-assembled for easy installation. Ideal for garden features, deck screening, pergola accents, and privacy walls with an ornamental finish.



Privacy Level	Decorative / partial privacy
Heights	4' (48") and 6' (72") pre-assembled panels
Design Detail	Custom lattice with decorative rosettes
Post Size	4" x 4" vinyl post sleeve, 78" tall
Mounting	Option 1: Vinyl U-Mount Bracket
Colours	White, Clay, Cashmere, Tan, Sandalwood

Certifications & Testing Standards

Alpa Vinyl Fencing meets or exceeds the following Canadian and international performance standards.

• Manufactured by Alpa Outdoor Products Inc. — proudly Canadian, manufactured in Ontario
• All extruded vinyl produced by Alpa Tech Vinyl — made in Canada
• All metal components made with galvanized steel
• Fence panels tested in Canadian/American approved laboratories for wind resistance and blowout under uniform loads
• 5-Year Limited Warranty on materials and workmanship — original purchaser only, not transferable
• Warranty claims: Alpa Ontario Railing Inc., 101 Glidden Road, Brampton, Ontario L6T 3W6 905-796-6631
• Installers must comply with all local building codes and municipal by-laws

Installation Guide

- 1 SAFETY** — Wearing safety glasses when cutting is required when using any power tools. Wear gloves to avoid cuts or scrapes when handling individual components. Use proper lifting procedures when handling any product or packaged product. Follow proper operating procedures for all tools, ladders, and equipment. Always call for ground locates before digging — Call Before You Dig.
- 2 CHECK LOCAL BY-LAWS** — Always check local by-laws before starting any fencing project. Fences and posts must not be installed contrary to local building codes and by-laws. Privacy fence screens installed on balconies must not be used as guard rails — they are not considered structural. If installing as a privacy screen on any end of a deck above 23-5/8" from grade, use the Alpa Structural Railing as a guard rail in front of the privacy screen. See the Alpa Structural Railing Installation Guide or call Alpa Outdoor Products technical support for further inquiries.
- 3 TOOLS REQUIRED** — Power drill with #2 type A bit (4" length or longer); 3/8" x 4" concrete bit (for Wedge-All concrete anchor applications); 1/8" x 6" wood bit (for lag screw applications); measuring tape; 3' to 4' level and carpenter's square; chop saw (10" blade, 60 teeth recommended); skill saw (hand held); ground auger; wheelbarrow (if using ground auger); shovel (if using ground auger or mixing cement); safety glasses and gloves.
- 4 POST INSTALLATION** — Three options: (A) Steel pipe — drive steel pipe into ground 4 feet or below frost zone using a post pounding machine; mainly for professional contractors. (B) 4x4 pressure-treated lumber in concrete — traditional method; accuracy in post spacing and plumb alignment is critical. (C) Sono-Tube/Concrete with steel post insert (recommended) — allows tolerances in post placement; the steel post insert and base plate can move slightly to achieve correct spacing and alignment; best option for wood decks and concrete balconies. For wood substructures (Option C): use 4 x 3/8" x 6.0" zinc-plated hex-head lag screws with washers; pilot holes at 60–70% of lag shank depth. For concrete: use 4 x Wedge-All 3/8" x 3-3/4" fasteners with washers, torqued to 30 ft/lbs; minimum 3" embedment depth and minimum 3" from any edge.
- 5 MOUNTING BRACKETS TO POST** — Option 1 (Vinyl U-Mount Bracket — all styles): determine desired fence height and mark a level line on the post; set height to allow a minimum 2" to 3" gap above grade; fasten U-Mount Bracket to post using 2" colour-matched screws, 2 screws per connection, typical 12" O.C. spacing. Option 2 (Alpa Metal Hanger — full-privacy styles Cape Cod, Carriage, and Carrington only): mark the centre line of the post and the desired fence top height; mark the post 1/8" above that height (top of hanger position); align and fasten the left and right hangers to the post; fasten Vinyl End Strip-F centred on post with screw port side onto post. Allow 1/4" extra space between posts when using the hanger option.
- 6 INSTALLING FENCE PANELS** — Option 1 (U-Mount Bracket): attach a U-Mount Bracket flush to the top of the fence panel on the side opposite to the post, slide the panel into the bracket already on the post, slide the panel between posts for a snug fit, level the top of the fence, and fasten brackets to post with 2" screws and to fence panel with 3/4" screws. If using the optional Metal U-Fence Stiffener, slide it into the fence panel crossbar (top or bottom) before connecting to posts — applies to both Option 1 and Option 2. Option 2 (Alpa Hanger): lift the full panel and place it in the seat of the hangers; fold the hangers to the face of the fence crossbars and fasten with 3/4" colour screws; fit Vinyl End Strip-M in line with Vinyl End Strip-F and pressure snap into place so both sides fit snug against the fence panel board. Stagger fence panel height to grade as needed to avoid large gaps between the bottom of the panel and the ground.
- 7 GATE INSTALLATION** — Required clear opening between posts = gate width + 1 1/4" (example: 39" standard gate requires 40 1/4" clear opening). Reverse door swing is optional. It is recommended to have the post and hinge connection set to a non-movable structural support. For brick wall connections: use 39" steel post inserts; rip out the back of the vinyl 4x4 post sleeve 2 1/4" at centre to allow the sleeve to slide over the wall-mounted steel post; fasten with a minimum 3/8" x 3" anchor bolt and washer. For siding or stucco walls: consult your supplier or Alpa Outdoor Products technical support — ensure the steel post inserts can be attached to the building structure itself, not only to the facing finish of the wall.
- 8 POST CAP INSTALLATION** — Place the vinyl post cap over the top of each post. Optional: run a bead of silicone on the inside under the cap and push down over the post for a more secure fit.
- 9 MAINTENANCE AND WARRANTY** — This is a maintenance-free product made of weatherable vinyl and does not need to be painted. **PAINTING THE PRODUCT WILL VOID THE WARRANTY.** The fence panels have been tested for wind resistance and blowout under uniform loads. Failure to follow the installation instructions set forth in this guide may result in deficiencies in the final assembly and will VOID the warranty.



MITTEN

Ready to order?

Submit your spec list and we'll respond with pricing and availability - usually within one business day.

WEB

promaterials.ca

PHONE

(905) 836-7272

EMAIL

info@promaterials.ca

ADDRESS

Unit 5, 1235 Journey's End Cir, Newmarket, ON