

RESTORATION MILLWORK®
CERTAINTEED

Restoration Millwork® Decorative PVC Column Wraps

SKU: CT-RM-COLUMN-WRAPS

WARRANTY

25-year limited warranty

PROFILES

Plain · Fluted (S/O) · Raised (S/O) · Recessed (S/O) — widths 6", 8", 10", 12" — lengths 4'–12'

Restoration Millwork® Decorative PVC Column Wraps by CertainTeed transform plain porch posts into refined architectural features without replacing the structural post. Pre-cut and pre-mitered from cellular PVC, each wrap slides around an existing 4"x4" or 6"x6" post and swings closed — no complicated fabrication required. Available in 6", 8", 10", and 12" widths and lengths from 4 to 12 feet with no seams. Plain style is standard; Fluted, Raised, and Recessed styles are available as special order. Every wrap includes cap and base. Custom sizes and styles available on request. NAHB Research Center Green Approved and backed by a 25-year limited warranty.


Key Features

- Pre-cut and pre-mitered — slides around existing 4"x4" or 6"x6" porch posts
- Includes cap and base
- Widths: 6", 8", 10", 12"
- Custom sizes and styles available on request
- 25-year limited warranty
- Available up to 12 feet with no seams
- Plain style standard; Fluted, Raised, and Recessed available as special order
- Square and tapered designs available
- NAHB Research Center Green Approved

Profiles & Specifications

Plain

Column Wrap — Plain



Availability	Standard
Widths	6", 8", 10", 12"
Lengths	4', 6', 8', 10', 12' (9' in 10" width only)
Post Fits	4x4 or 6x6

Fluted

Column Wrap — Fluted



Availability	Special Order
Detail	Vertical channel detailing
Widths	6", 8", 10", 12"
Lengths	4', 6', 8', 10', 12' (9' in 10" width only)

Raised

Column Wrap — Raised



Availability	Special Order
Detail	Raised panel detail
Widths	6", 8", 10", 12"
Lengths	4', 6', 8', 10', 12' (9' in 10" width only)

Recessed

Column Wrap — Recessed



Availability	Special Order
Detail	Recessed panel detail
Widths	6", 8", 10", 12"
Lengths	4', 6', 8', 10', 12' (9' in 10" width only)

Certifications & Testing Standards

Restoration Millwork® Decorative PVC Column Wraps meets or exceeds the following Canadian and international performance standards.

- NAHB Research Center Green Approved

Installation Guide

- 1 Pre-cut and pre-mitered to swing closed around existing 4"x4" or 6"x6" posts
- 2 Cap and base included with each wrap
- 3 Use PVC cement (Extreme PVC Trim Welder® or Partite® Adhesive) for mitre and scarf joints
- 4 Custom sizes and styles available on request — contact your local Kaycan distribution centre



Ready to order?

Submit your spec list and we'll respond with pricing and availability - usually within one business day.

WEB

promaterials.ca

PHONE

(905) 836-7272

EMAIL

info@promaterials.ca

ADDRESS

Unit 5, 1235 Journey's End Cir, Newmarket, ON